


•Source Factory Direct Supply || OEM/ODM Customized Solutions || Professional Technical Consulting
|| Global Rapid Response Team



MuxiPrecision

2026

●FIBER●YAG/UV●



Muxi Precision

High-Power Fiber Laser Consumables Supplier

Muxi Precision specializes in consumables for 6kW - 40kW+ fiber laser cutting systems, providing reliable supply solutions for distributors, machine service companies, and metal fabrication plants worldwide.

Product Range

- Protective Windows (JGS1 Synthetic Quartz, <35 ppm Absorption)
- Focus & Collimation Lenses (S/D 10/5 Precision Optics)
- Laser Nozzles (Raytools, Precitec, WSX & Bodor Compatible)
- Ceramic Rings & Sensor Holders

Why Choose Muxi Precision

- ✓ High-Power Application Expertise (12kW - 40kW+)
- ✓ Strict Quality Control & Cleanroom Production
- ✓ Stable Supply & Fast Response
- ✓ Professional Technical Support

Your Reliable Partner for High-Power Laser Consumables

Protective Windows



* More than 50pcs can be customized

✓ Various Specifications

- 18*2 20*2 20*3 20*4 21.5*2
- 22.35*4 24.9*1.5 25*2/3 25.4*4/5
- 28*4_(27.9*4.1) 29.7*4.7 30*1/1.5/2/3/4
- 30*5 30*5_(Gap)
- 34*5₀₋ 35*4 36*3 37*7_{0-30kv}
- 38*2/3 40*5 42*3 50*2 55*1.5

* More than 100 specifications are available

✓ Sealing Ring



- 20.5*16*2.4 (WSX)
- 21*15*2.7 (CQWY)
- 29.8*24*3 (Raytools)
- 32.2*24*3.55 (Raytools)



- 36*29.5*3 (Precitec)
- 40.35*33.6*2.9 (Precitec1.0-yellow)
- 44*33*2.7*2 (Precitec2.0-yellow)

Laser Nozzle

✓ Sample pictures: Single & Double layers, Caliber 0.8_10.0mm

S28_A



S28_B



S32_A



3D



Precitec



Bodor



Bystronic



ECU



* More than 50 specifications are available

Laser Ceramic ▼

Precitec-28



Precitec KT XB



BOCI



Raytools-32



Raytools-3D



Trumpf-936678/913966



DNE-2500



OSPRI-3D



WSX-WTC08



WSX-WTC-01A



Raytools-Original



Bystronic



Focusing/Collimating Lens



▼ Various Specifications

Handheld Welding Machine

1 Pc/set:

- $\Phi 20 \times F50/60/75/100$
- $\Phi 20 \times F120/150$

* For CQWY/QiLin Cutting Head

1 Pc/set:

- $\Phi 25.4 \times F63/100/125/150/200$
- $\Phi 28 \times F63/125/150/200/250$
- $\Phi 30 \times F75/100/120/125/150/200$

2 Pcs/set:

- $\Phi 28 \times 75/100/125/150$
- $\Phi 30 \times 75/100/125/150/155/190.5/200$
- $\Phi 37 \times 100/125/150/200$
- $\Phi 38.1 \times 200$


Collimating & Focusing Lens



Nozzle Connector & Other series



Raytools BT230




Raytools BM114



Bodor-3D



WSX NC30/NC30B



Laser Induction Cable



Optical Cable



Fiber Output Cable